



## PVC U GUARD

PVC U Guard riser system is designed to protect power and communications cables installed vertically on the side of a utility pole. The PVC U Guard system is non-conductive, lightweight, high impact resistant, and installed over the cable, eliminating cable pull through.

## EXTENDED LIP LINE HOSE

SS Group USA now offers ASTM D1050 certified and tested Extended Lip Line Hose to utilities across North America. SS Group USA looks forward to offering our customers a high quality product that can be relied on and used in the electrical industry.



# PVC U GUARD

Our proprietary system is modular, and consists of a length of PVC U Guard coupled with our custom reducer boot to render an elegant one-piece system. This has been built to withstand North America's extreme all season weather conditions

## OUR SYSTEM

### POLE RISER + REDUCER BOOT PVC U GUARD

A one-piece system that is the perfect combination of quick installation, structural integrity, and cost savings.



POLE RISER



REDUCER BOOT



PVC U GUARD

## PVC U GUARD ADVANTAGES

### NON-CONDUCTIVE

No need for expensive ground cost

### NON-COROSIVE

No maintenance

### AFFORDABLE

Cost effective vs. traditional steel U Guard

### LIGHTWEIGHT

Easy transportation for lineman

### EASY INSTALLATION

Fasten with standard lag screws

### FIRE RESISTANT

Resistance in compliance with UL 651

### CRUSH RESISTANT

Excellent cold weather impact

### PERFORMANCE

Compliant with NEMA TC-19

### REDUCER BOOT

Used to step down to smaller size U Guard

### UNIVERSAL BOOT

Used to step down to smaller size U Guard

## FLANGED PVC U GUARD

CODE	SIZE	LENGTH	ID	OD
PM2-40-8	2"	8'	2.25"	4"
PM3-40-8	3"	8'	3.25"	5"
PM4-40-8	4"	8'	4.25"	6"
PM5-40-8	5"	8'	5.25"	7"
PM6-40-8	6"	8'	6.25"	8"

## NON-FLANGED PVC U GUARD

CODE	SIZE	LENGTH	ID	OD
PM2-2150-8	2"	8'	2.25"	4"
PM3-3150-8	3"	8'	3.25"	5"
PM4-4180-8	4"	8'	4.5"	5.25"

## BOOTS & REDUCERS



UNIVERSAL  
REDUCER  
BOOT




VENTED  
REDUCER  
BOOT



SMALL  
FLANGED  
STEP  
REDUCER




NON-FLANGED  
REDUCER  
BOOT



# EXTENDED LIP LINE HOSE

Meeting all ASTM D1050 standards for testing and certification through Kinectrics Incorporated, one of the leading electrical test facilities in the world, ensures quality and safety for your company.



## **SS150-10-45C**

Class 4 - 1-1/2 Inch  
with Coupler Line Hose (4 Foot)

## **SS150-10-6C**

Class 4 - 1-1/2 Inch  
with Coupler Line Hose (6 Foot)

## CERTIFIED, TESTED & APPROVED

- Highest quality testing standards in the industry (ASTM D1050)
- Certified Kinectrics testing
- Durable, flexible, & safe
- Self locking lip, preventing line hose from coming off the conductor
- Ozone resistance tested
- 60 Hz AC & DC flashover tested
- Electrical proof tested
- Dimensional tested
- Visual inspection tested
- Top quality safety solutions

## EXTENDED LIP LINE HOSE ADVANTAGES

### **COST EFFECTIVE**

Beat the competitor with same or better quality

### **FLEXIBLE**

Durable, Kinectrics tested and approved

### **QUICKER**

Lead times to get the product

### **HIGHEST STANDARD OF SAFETY**

Testing and certification



# CONTACT INFORMATION

---

## Phone :

☎ +1-800-810-7320

## Email :

✉ [info@truenorthpowertech.com](mailto:info@truenorthpowertech.com)

## Web Site :

🌐 [www.truenorthpowertech.com](http://www.truenorthpowertech.com)

## Address :

📍 701 Brook Rd N, Cobourg, ON K9A 5T2

